

TFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Shinya HASEGAWA, et al.

Application No.: 10/509,491

Filed: September 29, 2004

Customer Number: 20277

Confirmation Number: 5359

Group Art Unit: 1731

Examiner: Not yet assigned

For: BISMUTH GLASS COMPOSITION, AND MAGNETIC HEAD AND PLASMA DISPLAY  
PANEL USING THE SAME AS SEALING MEMBER

REQUEST FOR CORRECTED FILING RECEIPT

Mail Stop Official Filing Receipt  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Attached is a copy of the Filing Receipt received from the U.S. Patent and Trademark Office in the above-referenced application. It is noted that the numbers of total and independent claims are incorrect. Attached is a copy of the preliminary amendment and a copy of the claims as amended on September 29, 2004, which evidences **the total number of claims should be twenty-four (24), and the number of independent claims should be one (1).** It is requested that a corrected filing receipt be issued.


Respectfully submitted,

McDERMOTT WILL & EMERY LLP

Michael E. Fogarty  
Registration No. 36,139

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
Phone: 202.756.8000 MEF:ark  
Facsimile: 202.756.8087  
Date: August 4, 2006

Please recognize our Customer No. 20277  
as our correspondence address.




## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/509,491	09/29/2004	1731	1462	43888-339	6	26 24	2 1

20277  
MCDERMOTT WILL & EMERY LLP  
600 13TH STREET, N.W.  
WASHINGTON, DC 20005-3096



CONFIRMATION NO. 5359

REPLACEMENT FILING RECEIPT



\*OC000000018920635\*

Date Mailed: 05/23/2006

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

**Applicant(s)**

Shinya Hasegawa, Osaka, JAPAN;  
Hiroshi Onishi, Osaka, JAPAN;  
Mikie Kanai, Osaka, JAPAN;  
Tetsuya Kamimoto, Osaka, JAPAN;

**Assignment For Published Patent Application**

Matsushita Electric Industrial Co., Ltd, Osaka, JAPAN

**Power of Attorney:** The patent practitioners associated with Customer Number **20277**.

**Domestic Priority data as claimed by applicant**

This application is a 371 of PCT/JP03/04043 03/28/2003

**Foreign Applications**

JAPAN 2002-96453 03/29/2002  
JAPAN 2002-115831 04/18/2002  
JAPAN 2002-358616 12/10/2002

If Required, Foreign Filing License Granted: 03/24/2006

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US10/509,491**

**Projected Publication Date:** Not Applicable

**Non-Publication Request:** No

**Early Publication Request:** No

**Title**

Bismuth glass composition, and magnetic head and plasma display panel including the same as sealing member

**Preliminary Class**

065

## **PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES**

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at <http://www.uspto.gov/web/offices/pac/doc/general/index.html>.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, <http://www.stopfakes.gov>. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

---

### **LICENSE FOR FOREIGN FILING UNDER Title 35, United States Code, Section 184 Title 37, Code of Federal Regulations, 5.11 & 5.15**

#### **GRANTED**

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where

the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

#### **NOT GRANTED**

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).



Docket No.: 43888-339

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of	:	Customer No.: 20277
Shinya HASEGAWA, et al.	:	Confirmation No.: Not yet assigned
Application No.: Not yet assigned	:	Group Art Unit: Not yet assigned
Filed: September 29, 2004	:	Examiner: Not yet assigned
For: BISMUTH GLASS COMPOSITION, AND MAGNETIC HEAD AND PLASMA DISPLAY PANEL USING THE SAME AS SEALING MEMBER	:	

**PRELIMINARY AMENDMENT**

Mail Stop NEW APPLICATIONS  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Prior to examination of the above-referenced application, please amend the application as follows:

**Amendments to the Claims** begin on page 2 of this paper.

**Remarks/Arguments** begin on page 6 of this paper.

## **IN THE CLAIMS**

*This listing of claims will replace all prior versions and listings of claims in the application.*

### **Listing of Claims:**

1. (Currently Amended) A Bismuth glass composition comprising 0.5 to 14 wt% of SiO<sub>2</sub>, 3 to 15 wt% of B<sub>2</sub>O<sub>3</sub>, 4 to 22 wt% of ZnO, 55 to 90 wt% of Bi<sub>2</sub>O<sub>3</sub> and 4 wt% or less of Al<sub>2</sub>O<sub>3</sub>, and

further comprising 5 wt% or less of an oxide of Group A, 12 wt% or less of an oxide of Group B and 0.1 to 10 wt% of an oxide of Group C, wherein

the oxide of Group A is at least one selected from the group consisting of Li<sub>2</sub>O, Na<sub>2</sub>O and K<sub>2</sub>O,

the oxide of Group B is at least one selected from the group consisting of MgO, CaO, SrO and BaO, and

the oxide of Group C is at least one selected from the group consisting of Sc<sub>2</sub>O<sub>3</sub>, Y<sub>2</sub>O<sub>3</sub>, La<sub>2</sub>O<sub>3</sub>, CeO<sub>2</sub>, Pr<sub>2</sub>O<sub>3</sub>, Nd<sub>2</sub>O<sub>3</sub>, Sm<sub>2</sub>O<sub>3</sub>, Eu<sub>2</sub>O<sub>3</sub>, Gd<sub>2</sub>O<sub>3</sub>, Tb<sub>2</sub>O<sub>3</sub>, Dy<sub>2</sub>O<sub>3</sub>, Ho<sub>2</sub>O<sub>3</sub>, Er<sub>2</sub>O<sub>3</sub>, Tm<sub>2</sub>O<sub>3</sub>, Yb<sub>2</sub>O<sub>3</sub> and Lu<sub>2</sub>O<sub>3</sub>[[]], and

the weight ratio of Al<sub>2</sub>O<sub>3</sub> to SiO<sub>2</sub> is 0.5 or less.

2. (Original) The bismuth glass composition in accordance with claim 1 comprising 0.5 to 12 wt% of SiO<sub>2</sub>, 3 to 9 wt% of B<sub>2</sub>O<sub>3</sub>, 4 to 19 wt% of ZnO, 55 to 85 wt% of Bi<sub>2</sub>O<sub>3</sub> and 0.1 to 4 wt% of Al<sub>2</sub>O<sub>3</sub>.

3. (Original) The bismuth glass composition in accordance with claim 1 comprising 1.7 to 12 wt% of SiO<sub>2</sub>, 3 to 9 wt% of B<sub>2</sub>O<sub>3</sub>, 9.5 to 19 wt% of ZnO, 62 to 80 wt% of Bi<sub>2</sub>O<sub>3</sub> and 0.1 to 4 wt% of Al<sub>2</sub>O<sub>3</sub>.

4. (Original) The bismuth glass composition in accordance with claim 1 comprising 1.1 to 4.5 wt% of SiO<sub>2</sub>, 4 to 9 wt% of B<sub>2</sub>O<sub>3</sub>, 9.5 to 18 wt% of ZnO and 72 to 85 wt% of Bi<sub>2</sub>O<sub>3</sub>.

5. (Original) The bismuth glass composition in accordance with any one of claims 1 to 4 comprising 4 wt% or less of the oxide of Group A.

6. (Original) The bismuth glass composition in accordance with claim 5, wherein the oxide of Group A comprises 2 wt% or less of  $\text{Li}_2\text{O}$ , 3 wt% or less of  $\text{Na}_2\text{O}$  and 4 wt% or less of  $\text{K}_2\text{O}$ .

7. (Original) The bismuth glass composition in accordance with any one of claims 1 to 3 and 5 to 6 comprising 10 wt% or less of the oxide of Group B.

8. (Original) The bismuth glass composition in accordance with claim 7, wherein the oxide of Group B comprises 5 wt% or less of  $\text{MgO}$ , 6 wt% or less of  $\text{CaO}$ , 8 wt% or less of  $\text{SrO}$  and 10 wt% or less of  $\text{BaO}$ .

9. (Original) The bismuth glass composition in accordance with any one of claims 1 to 8 comprising 0.1 to 5 wt% of the oxide of Group C.

10. (Original) The bismuth glass composition in accordance with claim 4 or 5 comprising 0.1 to 2 wt% of  $\text{Al}_2\text{O}_3$ .

11. (Original) The bismuth glass composition in accordance with 4, 5 or 10 comprising 8 wt% or less of the oxide of Group B.

12. (Original) The bismuth glass composition in accordance with claim 11, wherein the oxide of Group B comprises 2 wt% or less of  $\text{MgO}$ , 0.1 to 4.5 wt% of  $\text{CaO}$ , 0.1 to 4.5 wt% of  $\text{SrO}$  and 4 wt% or less of  $\text{BaO}$ .

13. (Original) The bismuth glass composition in accordance with any one of claims 1 to 3 and 5 to 9, wherein the weight ratio of  $\text{ZnO}$  to  $\text{B}_2\text{O}_3$  is 0.8 to 2.8.

14. (Cancelled)

15. (Currently Amended) The bismuth glass composition in accordance with any one of claims 4 to 5[[,]] and 10 to 12 [[and 14]], wherein the weight ratio of ZnO to B<sub>2</sub>O<sub>3</sub> is 1.1 to 2.5.

16. (Currently Amended) A sealing member for a magnetic head comprising the bismuth glass composition in accordance with any one of claims 1 to 3, 5 to 9 and 13 [[to 14]].

17. (Currently Amended) A sealing member for a plasma display panel comprising the bismuth glass composition in accordance with any one of claims 4 to 5, 10 to 12 and [[14 to]] 15.

18. (Original) The sealing member for a plasma display panel in accordance with claim 17 further comprising a low-expansion ceramic filler in a weight ratio of 0.01 to 4 with respect to the bismuth glass composition.

19. (Original) The sealing member for a plasma display panel in accordance with claim 18, wherein the low-expansion ceramic filler is at least one selected from the group consisting of cordierite, willemite, forsterite, anorthite, zircon, mullite,  $\beta$ -eucryptite,  $\beta$ -spodumene, cristobalite, barium titanate, titanium oxide, tin oxide, aluminum oxide, zirconium oxide and quartz glass.

20. (Original) A magnetic head comprising a pair of magnetic core halves, at least one of which being provided with a coil groove, a magnetic gap member interposed between surfaces of the magnetic core halves facing to a magnetic gap, and the sealing member in accordance with claim 16 for bonding the pair of magnetic core halves.

21. (Original) The magnetic head in accordance with claim 20 further comprising a magnetic metal film on at least one of the surfaces facing to the magnetic gap.



22. (Original) The magnetic head in accordance with claim 20, wherein each of the paired magnetic core halves comprises a pair of nonmagnetic substrates and a magnetic metal film sandwiched between the nonmagnetic substrates.

23. (Original) A magnetic recording/reproducing device comprising the magnetic head in accordance with any one of claims 20 to 22 to perform recording and reproducing information to and from a magnetic information recording medium.

24. (Original) A plasma display panel comprising a front plate and a rear plate facing to each other, display electrodes and address electrodes arranged between the front plate and the rear plate, barrier ribs for isolating the address electrodes, dielectric layers covering the surfaces of the display electrodes and the address electrodes, respectively, and the sealing member in accordance with any one of claims 17 to 19 for bonding the peripheries of the front plate and the rear plate.

25. (Original) The plasma display panel in accordance with claim 24 provided with an air hole formed in the front plate or the rear plate, further comprising a glass tube communicating with the air hole, wherein an opening end of the air hole and an end of the glass tube are bonded with the sealing member.

**REMARKS**

Applicants have amended claims 1 and 15 – 17. Please cancel claim 14 without prejudice or disclaimer.

No new matter has been introduced. Entry of the amendment is respectfully solicited.

Respectfully submitted,

MCDERMOTT WILL & EMERY LLP



Michael E. Fogarty  
Registration No. 36,139

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
202.756.8000 MEF:ete  
Facsimile: 202.756.8087  
**Date: September 29, 2004**